



Build out your Chief ceiling-mounted installations using this step-by-step selection guide. The guide includes projector and flat panel mounts and accessories that work seamlessly together to provide a state-of-the-art solution that is flexible and easy to install.

www.chiefmfg.com

STEP 1 CEILING STRUCTURAL SUPPORT

WOOD JOIST




MAX WEIGHT: 500 lbs (227 kg)

CMS115 Ceiling Plate

CMS390/391 Dual Joist Ceiling Plate

CONCRETE



MAX WEIGHT: 500 lbs (227 kg)

CMA330 Offset Ceiling Plate

CMA345 Shock-Absorbing Ceiling Plate

TRUSS




MAX WEIGHT: 250 lbs (113 kg)

CMA365 Truss Ceiling Adapter

CMA366 Architectural Spanning Adapter

UNISTRUT



MAX WEIGHT: 500 lbs (227 kg)

CMA372 Offset Unistrut Adapter

CMA110 Ceiling Plate

I-BEAM



MAX WEIGHT: 250 lbs (113 kg)

CMA360 I-Beam Clamp

PIPE



MAX WEIGHT: 250 lbs (113 kg)

MAX WEIGHT: 300 lbs (136 kg)

CMA365 Truss Ceiling Adapter

CMA300 Pipe Clamp

SUSPENDED



MAX WEIGHT: 50 lbs (23 kg)

CMS440P Ceiling Kit with PX2W Power

CMS440 Above Tile Ceiling Kit

SUSPENDED



MAX WEIGHT: 50 lbs (23 kg)

CMS445P Ceiling Kit with PX2W Power

CMS445 Replacement Tile Ceiling Kit

GENERAL PURPOSE



MAX WEIGHT: 500 lbs (227 kg)

CMA105 4" Ceiling Plate

CMA110 8" Ceiling Plate

CMA115 6" Ceiling Plate

VAULTED

ACCESSORIES



MAX WEIGHT: 500 lbs (227 kg)

CMA395 Angled Ceiling Plate

CONCRETE



CMA380 Concrete Fastener

SUSPENDED



CMA470 Above Tile Enclosure

SUSPENDED



CMSZ006 0-6" Column for Ceiling Kits

POWER OUTLET



PX2W Power Conditioner

STEP 2

EXTENSION COLUMN

COLUMN



MAX WEIGHT: 500 lbs (227 kg)

ACCESSORIES

CABLE MANAGEMENT



CMA275 Cable Cover


STABILITY SUPPORT



MAX WEIGHT: 500 lbs (227 kg)

CMA340 Support Bracket & Cable Assembly

AESTHETICS



CMA640 Finishing Ring

DROP DISTANCE

Fixed: CMS-0xx	3"	6"	9"	12"	18"	24"	36"	48"
Adjustable: CMS-0xx0xx	CMS003	CMS006	CMS009	CMS012	CMS018	CMS024	CMS036	CMS048
Colors	-	CMS006009	CMS006009	CMS009012	CMS012018	CMS018024	CMS0203	CMS0305
Options:	60"	72"	84"	96"	108"	120"	-	132"
	CMS060	CMS072	CMS0507	CMS0608	CMS0709	CMS0810	CMS0911	-
	CMS0406	CMS0507	CMS0608	CMS0709	CMS0810	CMS0911	-	-

STEP 3

IN-LINE COLUMN ADAPTER

COUPLER



MAX WEIGHT: 500 lbs (227 kg)

SWIVEL



MAX WEIGHT: 500 lbs (227 kg)

ELECTRICAL



MAX WEIGHT: 500 lbs (227 kg)

CMA270 1-1/2" NPT Coupler

CMA351 Swivel Adapter

CMA504 Outlet Coupler


STORAGE



MAX WEIGHT: 250 lbs (113 kg)

CMA160 Installation Job Box

VIBRATION



MAX WEIGHT: 35 lbs (16 kg)

CMA347 Vibration Isolator

STEP 4
EXTENSION COLUMN

See Step 2 above

STEP 5
MOUNTING SOLUTION

PROJECTOR

RPA™ ELITE



MAX WEIGHT: 50 lbs (23 kg)
MAX WEIGHT: 25 lbs (11.3 kg)

RPAxxxx/U Projector Mount
RSMAXxxx/U Projector Mount

PROJECTOR

RPA™ SERIES



MAX WEIGHT: 50 lbs (23 kg)
MAX WEIGHT: 25 lbs (11.3 kg)

RPAxxxx/U Projector Mount
RSAXxxx/U Projector Mount

FLAT PANEL



MAX WEIGHT: 200 lbs (90.7 kg)
MAX WEIGHT: 125 lbs (56.7 kg)

PCxxxxx/U X-Large Flat Panel (42-71")
MCxxxxx/U Large Flat Panel (26-50")

STEP 6
SECURITY ACCESSORIES

PROJECTOR



PG2 Small Projector Guard
PG1 Large Projector Guard

PROJECTOR



PL2A/B/C RPA Small Projector Lock
PL1A/B/C RPA Large Projector Lock

ACCESSORIES

CABLE



LC1™ Cable Lock

SCREW CAP



SSC1™ Screw Cover Kit

PROJECTOR SECURITY GUIDE

BASIC

INTERMEDIATE

ALL-POINTS SECURITY

Tamper-resistant hardware at all key connection points to deter theft.

RPA Series



RPAxxx Custom Projector Mount

RPAU Universal Projector Mount

RPA Mini Series


NEW



RSAxxx Custom Projector Mount

RSAU Universal Projector Mount

Accessories



CMS115 Ceiling Plate

CMS0xx0xx Adjustable Extension Column

CMA152 1-1/2" to 1-1/2" NPT Coupler

PROJECTOR LOCKS

Secures mount with key and lock security combined with All-Points Security.

PL Series



PL1(A/B/C) Projector Lock

PL2(A/B/C) Mini Projector Lock

*For use with RPAxxxx Series

RPA Elite



NEW*



RPM(A/B/C/D)xxxx Custom Projector Mount with Q-Lock Key Option A, B, C or D

RPM(A/B/C/D)U Universal Projector Mount with Q-Lock Key Option A, B, C or D


*RSM(A/B/C/D)xxxx Custom Projector Mini with Q-Lock Key Option A, B, C or D

*RSM(A/B/C/D)U Universal Projector Mini with Q-Lock Key Option A, B, C or D

SECURITY


All-in-one security and lock security

RPA Security S



RPA(A/B/C/D)1 All-In-One Mount with Key Option

RPA Elite Security



RPM(A/B/C/D)1 All-In-One Mount with Q-Lock Key Option

* New tubular lock option

BASIC

ADVANCED

ADVANCED

MOUNTS

...y solution, relies on key
(no exposed fasteners).

Series



...n-One Universal Security
...on A, B, C or D



Security Series



...n-One Universal Security
...ey Option A, B, C or D'
...tion "D"



SECURITY CABLES

Add additional security to any installation with security cables.

SEC2

NEW



SEC2

For use with RPAU, RSAU, RPM(A/B/C/D)U, and RSM(A/B/C/D)U

PMSC



PMSC

For use with RPA(A/B/C)1 and RPM(A/B/C/D)1 Series

HC1



HC1 Heavy-Duty Cable System


Cable Locks



LC1 Cable Lock

PL4 Projector Lock

Anchor Points



SA1 Security Anchor

SSC4 Security Screw Cover Kits

COMPLETE

PROJECTOR GUARDS

Encloses the mount and projector inside a steel cage for ultimate security.

PG1 Series



PG1A Projector Guard



PG2 Series



PG2A Projector Guard



= Includes Key and Lock Security

CHIEF MANUFACTURING
www.chiefmfg.com

USA/INTERNATIONAL
P 800.582.6480 ■ 952.894.6280
F 877.894.6918 ■ 952.894.6918
chief@chiefmfg.com

CHIEF MOUNTS CANADA
P 877.345.4329 ■ F 888.377.5314
info@chiefmounts.ca

©2009 Milestone AV Technologies, a Duchossois Group Company. Chief is a division of Milestone AV Technologies. Chief and the Chief logo are registered trademarks of Milestone AV Technologies. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.