



Product Specification

Product Type: LED All-in-one Display Terminal

Product Model: QM2715 (MWALL Plus)

Version: V1.0







Product Specification



Product Features

- ◆ TOP LED and GOB for better protection.
- ◆ Foldable transportation, electric lift, easy installation, Easy transportation from elevator to office, plug-and-play operation.
- ◆ All-in-One with slim body and light weight modular design to save your space and make your boardroom brilliant.
- ◆ Initiate three-in-one integrated design of power supply, bridge board and receiving card to reduce electromagnetic interference.
- ◆ Ultra-large viewing angle plus 8 brightness levels, easy to adjust brightness according to the environments.
- Remote control with interfaces adapting USB, HDMI and etc.
- ◆ Integrated with external device, wireless screen transmission via PC, mobile phone and tablet, instant interaction at any moment.



RAM

Storage



Product Parameter

| Size | 138 inch |
|---|---|
| Pixel Pitch | 1.5mm |
| Ratio | 16:9 |
| Resolution | 1920×1080 |
| Module Size (width*height) | 152.5×343mm |
| Cabinet Size (width*height*thickness) | 610×343×31mm |
| Cabinet Qty | 5x5 |
| Overall Dimension (width*height) | 3064×2023mm |
| Display area (width*height) | 3050×1715mm |
| Unfolded Terminal Size (width*height*thickness) | 3064×2533×780mm |
| Folded Terminal Size | 4070 0000 700 |
| (width*height*thickness) | 1970×2023×780mm |
| Terminal Height | 1817~2317mm Adjustable |
| Weight | 265kg |
| Suggested Viewing Distance | ≥2m |
| Maintenance | Front & Rear Maintenance |
| Installation Method | Foot mounting |
| System Parameter | |
| Operating System | Android 9.0 |
| CPU | 2 x Cortex-A72 + 4 x Cortex-A53, 2.0GHz |
| | |



4GB

32GB





| Media Format | Support MPEG1, MPEG2, MPEG4, H.264, WMV, MKV, TS, FLV and other mainstream video formats; Support MP3 and other audio formats; Support JPG, JPEG, BMP, PNG, and GIF image formats |
|-------------------------|---|
| Optical Parameter | |
| Brightness | 550nit |
| Refresh Rate | 3840Hz |
| Gray Scale | 14bit |
| Contrast | 6500:1 |
| ССТ | 6500-9300K |
| Viewing Angle | Horizontal 170°, Vertical 170° |
| LED Lifespan | ≥100,000h |
| Electrical Parameter | |
| Input Voltage | 100-240VAC 50/60Hz |
| Average Consumption | 0.64KW |
| Maximum Consumption | 1.87KW |
| Environmental Parameter | |

| Ambient Temperature | -10°C-40°C |
|---------------------|---------------------------|
| Humidity | 10%~80%RH No condensation |

Note:

- 1. The content of this specification may be adjusted and revised in real time without prior notice to provide as accurate specification parameters as possible
- 2. This product is an indoor product. It is strictly prohibited to use it in direct sunlight
- 3. In order to ensure long-term and more uniform display effect, do not play fixed images for a long time







Introduction to button and interface



| No | Description |
|----|--|
| 1 | Light sensor |
| 2 | IR |
| 3 | Type C port |
| 4 | USB 3.0 port |
| 5 | USB 2.0 port |
| 6 | Menu button (including brightness, color temperature, contrast, sound, signal source, test mode and other sub-menus) |
| 7 | Bright/OK (1. It is a brightness adjustment button when the menu is not brought up, for adjusting the brightness in cooperation with the + and - keys; 2. Confirm button when the menu is brought up) |
| 8 | In the brightness adjustment mode, it is the brightness decrease button; In the brightness adjustment menu, it is the Down/Decrease button |
| | In the brightness adjustment mode, it is the brightness increase button; |
| 9 | In the brightness adjustment menu, it is the Up/Increase button |
| 10 | Standby/Wake up button |
| 11 | Two-color indicator light (red/blue) |
| 12 | HDMI input port (toward the bottom) |
| 13 | 3.5 Audio output port (toward the bottom) |







| Buttonlcon | Introduction | |
|------------|-----------------------|-------|
| Ф | Standby/Wakeup | |
| | Up | |
| | Down | |
| | Confirm | |
| | Left | |
| | Right | 3 6 = |
| + | Voice + | |
| - | Voice - | |
| S | Back | |
| ; \ | Brightness Adjustment | |
| = | Channel Switch | |
| © | Main Interface | |
| essories | | |

| Remote Control | 1 Set |
|------------------------|-------|
| Front maintenance tool | 1 Set |
| Tool kit | 1 Set |

| Packing Dimension | | | | |
|--------------------------------------|-----------------|----------|--|--|
| Item | Dimension | Quantity | | |
| Cabinet and Module Packing Dimension | 1984*794*1901mm | 1 | | |







Note:

• In case of special requirements, the packing quantity, weight and dimension may change, and the actual product received shall prevail.

Special Statement

- ◆ Intellectual Property Rights: The hardware design and software programs of this product are protected by copyright. The contents of this product and the manual shall not be copied without the authorization of the company.
- ◆ The contents of this manual are for reference only and do not constitute a commitment of any kind.
- ◆ The company reserves the right to make improvements and changes to the product design without prior notice
- ◆ Note: HDMI, HDMI HD Multimedia Interface and HDMI logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

